

# Xact File Transfer

## **Data Interchange Specifications: ISO (Swift) and XML instruction and report file formats**

## **Data Interchange Specifications: ISO (Swift) and XML instruction and report file formats**

July 2025

Document number: 6161

This document is the property of Clearstream Banking S.A. ("Clearstream Banking"). No part of this manual may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, for any purpose without the express written consent of Clearstream Banking. Information in this document is subject to change without notice and does not represent a commitment on the part of Clearstream Banking, or any other entity belonging to Deutsche Börse Group.

This document describes the interface used by Xact File Transfer to communicate with Clearstream Banking using ISO formats. It does not constitute a Governing Document as defined in Clearstream Banking's General Terms & Conditions. This manual is only available in electronic format. Clearstream Banking allows clients to print the manual locally for their own use.

© Copyright Clearstream Banking S.A. (2025). All rights reserved.

Clearstream is a registered trademark of Clearstream International S.A. Swift is a registered trademark of the Society for Worldwide Interbank Financial Telecommunication. Microsoft and Excel are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

Clearstream Banking S.A. is a Deutsche Börse Group company.

# ISO (Swift) and XML instruction and report file formats

The guide provides clients of Clearstream Banking with an overview of the record formats required by Xact File Transfer when sending instructions<sup>1</sup> and receiving reports.

## The purpose of this guide

This guide is designed for system developers who have a knowledge of ISO and XML message standards. Throughout the document, the mentioned ISO (Swift) messages will include both standards for ISO15022 for MT messages, and ISO 20022 for MX messages, unless specified otherwise. The purpose of the guide is to provide an understanding of the record and file structures required by Xact File Transfer to:

- send a file of instructions;
- process the technical feedback file containing the results of the initial validation of the clearing and settlement instructions;
- process a file containing a report.

This guide applies to all Xact File Transfer delivery options: via Internet, via VPN, via LiMa and via SwiftNet.

## How this guide is organised

This guide is organised as follows:

- Section 1, Handling ISO instruction files;
- Section 2, Corporate Actions reference data;
- Section 3, Receiving Reports;
- Section 4, XML Report Specifications.

## Related documentation

**Note:** Unless otherwise indicated, all publications referred to in this guide are available on the Clearstream Banking web site [www.clearstream.com](http://www.clearstream.com) under Publications and Downloads.

### Related Xact File Transfer documentation

Related documentation for Xact File Transfer includes the following:

- Xact Web Portal User Manual;
- Xact File Transfer via Internet User Guide;
- Xact File Transfer PDF report guide.

**Note:** For details of scheduling reports online for delivery via Xact File Transfer, please refer to the Xact Web Portal User Manual.

---

1. Cash and securities instruction files must be in ISO format. There is currently no provision for sending custody instruction files via Xact File Transfer.

## ISO detailed documentation

- For detailed information about the ISO record layouts referred to in this guide, please refer to the CBL [Xact via Swift User Guide](#) for MT messages and Clearstream group under the Swift “MyStandards” portal: <https://www2.swift.com/mystandards/#/group/Clearstream> for MX messages
- Clearstream Banking Xact via Swift User Guide and Clearstream Swift MyStandards webpage: <https://www.clearstream.com/clearstream-en/securities-services/connectivity-1-/swift-mystandards>
- For information about the Swift network, please refer to the standard set of proprietary documentation provided by Swift. In particular, the FIN Service Description manual contains useful information concerning message structures.
- Xact File Transfer via SwiftNet is based on the SwiftNet FileAct service. For information about this service, please refer to the standard set of proprietary documentation provided by Swift.

## Field format notation

The following is a key to symbols used in the message format tables:

6!n	6 numeric characters, fixed length	6*50x	up to 6 lines of up to 50 characters each
1!e	one blank space	1!n	one numeric character
3!a	3 alpha characters, fixed length	15!d	15 numeric characters including decimal separator, fixed length
ISIN1!e12!c	“ISIN” followed by one blank, followed by the ISIN, fixed length	/XS/9n	“XS” between slashes followed by the Common Code, up to 9 digits

## Where to get assistance

For further information or if you have specific questions regarding Xact File Transfer and/or communications with CBL, please contact Client Services Connectivity Support as follows:

	<b>Luxembourg</b>	<b>Frankfurt</b>	<b>London</b>
Tel:	+352-243-38110	+49-(0) 69-2 11-1 15 90	+44-(0)20-786 27100
Fax:	+352-243-638110	+49-(0) 69-2 11-6 1 15 90	+44 (0) 20-786 27254
Email:	connectlux@clearstream.com	connectfrankfurt@clearstream.com	connectlondon@clearstream.com

Before contacting CBL, please ensure that you have the following information to hand:

- Your organisation name and account number with Clearstream Banking.
- Your telephone number, fax number and email address.
- Details of the problem (please have full details available).
- If you have received an error message, full details of the error, with the error message number.
- If connected via VPN:
  - Your Xact File Transfer address and
  - The CONNECT:Direct version number and the operating system where it has been installed.
- If connected via SwiftNet FileAct:
  - Your organisation’s Distinguished Name (DN) and
  - If you are using FTI, any FTI error code received.

Clients should note that, as is normal practice within financial organisations, CBL has implemented telephone line recording to ensure that the interests of CBL and of its clients are protected against misunderstandings or miscommunication.

Areas subject to telephone line recording include Client Services, the Treasury Dealing Room and back office operations. The recorded lines are the subject of an ongoing formal maintenance and quality control programme to ensure their continued effective and appropriate deployment and operation.

# Contents

<b>ISO (Swift) and XML instruction and report file formats .....</b>	<b>i</b>
The purpose of this guide .....	i
How this guide is organised .....	i
Related documentation .....	i
Field format notation .....	ii
Where to get assistance .....	ii
<b>1 Handling ISO instruction files .....</b>	<b>1-1</b>
Cash instructions via ISO format .....	1-1
Securities instructions via MT54x .....	1-2
Instruction file structure .....	1-3
Xact File Transfer format for ISO 15022 messages .....	1-3
Header format .....	1-3
Header content .....	1-3
ISO messages .....	1-3
Trailer format .....	1-3
Xact File Transfer format for ISO 20022 .....	1-4
ISO messages .....	1-4
Example of an Xact File Transfer format ISO 20022 instruction file: File can contain multiple messages .....	1-4
Example of an Xact File Transfer format instruction file .....	1-7
Giovannini File Transfer Rulebook XML header for ISO 15022 format .....	1-8
Header format .....	1-8
Header content .....	1-8
ISO 15022 format .....	1-8
Example of an instruction file with GFT Rulebook header .....	1-9
Feedback file for ISO 15022 format .....	1-11
Correlation of the Feedback file to relevant instruction file .....	1-11
Feedback file structure .....	1-11
Valid instruction file .....	1-11
Status messages .....	1-11
Example of a feedback file for a valid instruction file .....	1-13
Example of technical feedback validation file in ISO 20022 format .....	1-14
Invalid instruction file .....	1-15
Example of a feedback file for an invalid instruction file .....	1-15
<b>2 Corporate Actions reference data .....</b>	<b>2-1</b>
Input file .....	2-1
Validation file .....	2-2
Output file .....	2-3

<b>3</b>	<b>French Financial Transaction Tax (FTT)</b>	<b>3-1</b>
	Input file	3-1
	Example of a declaration	3-1
	Validation file	3-2
	Example of a rejection file	3-2
<b>4</b>	<b>Receiving reports</b>	<b>4-1</b>
	Available ISO Messages types	4-1
	Clearing and settlement reports	4-1
	Securities statements	4-2
	Cash statements and reports	4-2
	Custody reports	4-2
	Triparty Collateral Management reports	4-2
	Miscellaneous reports	4-2
	ISO report files naming convention	4-3
	File naming convention for the MT548 Validation Feedback report file	4-3
	File naming convention for the MTn95 Validation Feedback report file	4-4
	File naming convention for the Xact File Transfer Technical Feedback report file	4-4
	ISO 15022 report file structure	4-5
	Xact File Transfer format	4-5
	Header format	4-5
	ISO messages	4-5
	Trailer format	4-5
	Example of a Xact File Transfer format report file	4-6
	Giovannini File Transfer Rulebook XML Header	4-7
	Header format	4-7
	Header content	4-7
	ISO messages	4-7
	Example of a GFT Rulebook header report file	4-8
	Terms and conditions file naming convention	4-9
<b>5</b>	<b>XML Report Specifications</b>	<b>5-1</b>
	XML report file naming conventions	5-1
	XML report file naming convention for Shareholder Identification Disclosure messages	5-2
	XML report grouping	5-3
	Example MT950 Cash Balances <CashBalRepBundle>	5-3
	Example camt.053 Cash Balances	5-3
	<b>Appendix A. Glossary of XML attributes</b>	<b>A-1</b>

# 1. Handling ISO instruction files

This section describes the structure of the header and trailer records that must be added to the file that contains the instructions to be submitted to Clearstream Banking.

You prepare cash or securities instructions<sup>1</sup> in ISO format<sup>2</sup> and then add header and trailer records to this ISO envelope of messages.

Clearstream offers the choice of two different formats for the headers and trailers:

- Xact File Transfer proprietary format (available on all Xact File Transfer channels).
- Giovannini File Transfer Rulebook format. (only available on Xact File Transfer via Internet and Xact File Transfer via FileAct)

The choice between the two formats can be specified by the client during the address setup. For Xact File Transfer via Internet, this can be done in CreationOnline via a flag in the filestore settings. For Xact File Transfer via FileAct, the option is available via the main subscription form. Clients may also request to use the Giovannini File Transfer header by sending an authenticated MT599 or by contacting the Connectivity Help Desk.

Once a format is specified on a Xact File Transfer Address, it will apply to all Clearstream inbound (instructions) and outbound (reports) files transmitted via the specified address.

**Note:** Cash instructions and securities instructions must be submitted in separate respective files.

When this file has been prepared, you send it to Clearstream Banking via Xact File Transfer. On receipt, the file and individual instructions are validated and a technical validation feedback file containing the results of the file and instruction validation is then created.

## Cash instructions via ISO format

The following table shows the relationship between the ISO messages supported by Xact File Transfer and Clearstream Banking's cash instructions.

ISO message	Clearstream Banking cash instructions
<b>MT103/103+ / pacs.008</b> FI To FI Customer Credit Transfer	Withdrawal of funds from Clearstream Banking Internal transfer of funds
<b>MT202 / pacs.009</b> Financial Institution Credit Transfer	Withdrawal of funds from Clearstream Banking Internal transfer of funds
<b>MT210 / camt.057</b> Notification To Receive	Pre-advice of entry of funds into Clearstream Banking

<sup>1</sup> Cash and securities instruction files can only be sent in ISO format. For cash instructions, it can be either in MT or MX format messages.

<sup>2</sup> For details of ISO message types, please refer to the CBL [Xact via Swift User Guide](#) for MT messages and Clearstream group under the Swift "MyStandards" portal: <https://www2.swift.com/mystandards/#/group/Clearstream> for MX messages.



## Securities instructions via MT54x

The following table shows the relationship between the ISO MT5xx messages supported by Xact File Transfer and Clearstream Banking securities instructions.

ISO message	Clearstream Banking securities instructions
<b>MT540</b> Receive free	(temporary, for matching only) Receipt of securities from Clearstream Banking or Euroclear, free of payment
	Receipt of securities from Clearstream Banking or Euroclear, free of payment
	Receipt of securities from outside Clearstream Banking and Euroclear, free of payment
<b>MT541</b> Receive against payment	(temporary, for matching only) Receipt of securities against payment
	Receipt of securities against payment
	Receipt of securities from outside Clearstream Banking and Euroclear, against payment
<b>MT542</b> Deliver free	(temporary, for matching only) Delivery of securities from Clearstream Banking or Euroclear, free of payment
	Transfer of securities between client accounts, free of payment
	Delivery of securities from Clearstream Banking or Euroclear, free of payment
	Delivery of securities outside Clearstream Banking and Euroclear, free of payment
	Delivery of securities outside Clearstream Banking and Euroclear, free of payment
<b>MT543</b> Deliver against payment	(temporary, for matching only) Delivery of securities from Clearstream Banking or Euroclear, free of payment
	Delivery of securities against payment
	Delivery of securities outside Clearstream Banking and Euroclear, against payment
	Delivery of securities outside Clearstream Banking and Euroclear, against payment
<b>MT530</b> Transaction Processing Command	Modification of a pending settlement instruction

## Instruction file structure

### Xact File Transfer format for ISO 15022 messages

The envelope of the instruction file has the following structure.

#### Structure of instruction file envelope

Header
One or more ISO messages:
Trailer (for transmission control)

#### Header format

The header has the format 25!a and a fixed value as follows:

25!a      HEADERCLEARSTREAM BANKING

#### Header content

The header comprises the following information (please refer to the example presented below):

- A mandatory Basic header {1:F01BANKLULLXXXX0000000000} where BANKLULL can be replaced by your BIC. If you do not have a BIC, you can use CEDELULL.
- A mandatory Application header {2:InnnCEDELULLXXXXN} where nnn is the message type.
- An optional User header {3:{108:message user reference}} where 108: can be followed by a message reference.

#### ISO messages

The ISO 15022 messages and envelope should have the formats as defined by the standard ISO 15022 (Swift) messaging guidelines.

**Note:** Messages must be concatenated with no separators.

#### Trailer format

The trailer has the format 26!a13!n and values as follows:

26!a      TRAILERCLEARSTREAM BANKING

13!n      The number of ISO messages in the file, right-aligned with leading zeros,  
for example, 0000000000005

## Xact File Transfer format for ISO 20022

Each file consists of one or more ISO 20022 messages.

Each message consists of an application header (XML document with root element "AppHdr") followed by the ISO 20022 XML message:

```
<AppHdr xmlns="...">
    <Fr> ...</Fr>
    <To>...</To>
    <BizMsgId>...</BizMsgId>
    <MsgDefId>...</MsgDefId>
    <BizSvc>...</BizSvc>
    <CreDt>...</CreDt>
</AppHdr>
```

## ISO messages

ISO 20022 CBPR+ Message Body For pacs.009.001.08 (Financial Institution Credit Transfer):

```
<Document xmlns="...">
  <FICdtTrf>
    <GrpHdr>
      <MsgId>...</MsgId>
      <CreDtTm>...</CreDtTm>
      <NbOfTx>...</NbOfTx>
      <SttlmInf>
        <SttlmMtd>...</SttlmMtd>
      </SttlmInf>
    </GrpHdr>
    <CdtTrfTxInf>
      <PmtId>
        <InstrId>...</InstrId>
        <EndToEndId>...</EndToEndId>
        <TxId>...</TxId>
        <UETR>...</UETR>
      </PmtId>
      <IntrBkSttlmAmt Ccy="...">...</IntrBkSttlmAmt>
      <IntrBkSttlmDt>...</IntrBkSttlmDt>
      <InstgAgt>...</InstgAgt>
      <InstdAgt>...</InstdAgt>
      <Dbtr>...</Dbtr>
      <CdtrAgt>...</CdtrAgt>
      <Cdtr>...</Cdtr>
    </CdtTrfTxInf>
  </FICdtTrf>
</Document>
```

## Example of an Xact File Transfer format ISO 20022 instruction file: File can contain multiple messages

```
<AppHdr xmlns="urn:iso:std:iso:20022:tech:xsd:head.001.001.02">
  <Fr>
    <FIId>
      <FinInstnId>
        <BICFI>ADFDAEAXXX</BICFI>
      </FinInstnId>
    </FIId>
  </Fr>
  <To>
    <FIId>
      <FinInstnId>
        <BICFI>DBFCLULLXXX</BICFI>
      </FinInstnId>
    </FIId>
  </To>
</AppHdr>
```

```

        </FIId>
    </To>
    <BizMsgId>SW2209819007-S50</BizMsgId>
    <MsgDefId>pacs.009.001.008</MsgDefId>
    <BizSvc>swift.cbprplus.02</BizSvc>
    <CreDt>2024-09-20T14:50:46+03:00</CreDt>
</AppHdr>
<pacs:Document xmlns:pacs="urn:iso:std:iso:20022:tech:xsd:pacs.009.001.08">
    <pacs:FICdtTrf>
        <pacs:GrpHdr>
            <pacs:MsgId>SW2209819007</pacs:MsgId>
            <pacs:CreDtTm>2024-11-06T09:25:18.460+01:00</pacs:CreDtTm>
            <pacs:NbOfTx>1</pacs:NbOfTx>
            <pacs:SttlmInf>
                <pacs:SttlmMtd>INDA</pacs:SttlmMtd>
                <pacs:SttlmAcct>
                    <pacs:Id>
                        <pacs:Othr>
                            <pacs:Id>11DFZ</pacs:Id>
                        </pacs:Othr>
                    </pacs:Id>
                </pacs:SttlmAcct>
            </pacs:SttlmInf>
        </pacs:GrpHdr>
        <pacs:CdtTrfTxInf>
            <pacs:PmtId>
                <pacs:InstrId>SW2209819007</pacs:InstrId>
                <pacs:EndToEndId>SW2209819007-S50</pacs:EndToEndId>
                <pacs:TxId>SW2209819007-S50</pacs:TxId>
                <pacs:UETR>a868506b-9c18-41ef-a310-
2cb85970b2e1</pacs:UETR>
            </pacs:PmtId>
            <pacs:IntrBkSttlmAmt Ccy="USD">15.0</pacs:IntrBkSttlmAmt>
            <pacs:IntrBkSttlmDt>2024-11-06</pacs:IntrBkSttlmDt>
            <pacs:InstgAgt>
                <pacs:FinInstnId>
                    <pacs:BICFI>ADFDAEAXXX</pacs:BICFI>
                </pacs:FinInstnId>
            </pacs:InstgAgt>
            <pacs:InstdAgt>
                <pacs:FinInstnId>
                    <pacs:BICFI>CHASUS33XXX</pacs:BICFI>
                </pacs:FinInstnId>
            </pacs:InstdAgt>
            <pacs:Dbtr>
                <pacs:FinInstnId>
                    <pacs:BICFI>AGRICHGGXXX</pacs:BICFI>
                </pacs:FinInstnId>
            </pacs:Dbtr>
        </pacs:CdtTrfTxInf>
    </pacs:FICdtTrf>
</pacs:Document>
<AppHdr xmlns="urn:iso:std:iso:20022:tech:xsd:head.001.001.02">
    <Fr>
        <FIId>
            <FinInstnId>
                <pacs:BICFI>DAKVDEFFXXX</pacs:BICFI>
            </FinInstnId>
        </FIId>
    </Fr>
    <To>
        <FIId>
            <FinInstnId>
                <pacs:BICFI>DBFCLULLXXX</pacs:BICFI>
            </FinInstnId>
        </FIId>
    </To>

```

```

</To>
<BizMsgIdr>camt</BizMsgIdr>
<MsgDefIdr>camt.056.001.08</MsgDefIdr>
<BizSvc>swift.cbprplus.02</BizSvc>
<CreDt>2022-08-30T09:15:00.000+02:00</CreDt>
</AppHdr>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:camt.056.001.08">
  <FIToFIPmtCxlReq>
    <Assgnmt>
      <Id>780717057/1CXLID</Id>
      <Assgnr>
        <Agt>
          <FinInstnId>
            <BICFI>ZKKBKCHZZ80A</BICFI>
          </FinInstnId>
        </Agt>
      </Assgnr>
      <Assgne>
        <Agt>
          <FinInstnId>
            <BICFI>CEDELULLXXX</BICFI>
          </FinInstnId>
        </Agt>
      </Assgne>
      <CreDtTm>2024-05-15T15:08:11+02:00</CreDtTm>
    </Assgnmt>
    <Undrlyg>
      <TxInf>
        <CxlId>780717057/1CXLID</CxlId>
        <Case>
          <Id>780717057/1XXXXX</Id>
          <Cretr>
            <Pty>
              <Id>
                <OrgId>
                  <Othr>
                    <Id>11111</Id>
                  </Othr>
                </OrgId>
              </Id>
            </Pty>
          </Cretr>
        </Case>
        <OrgnlGrpInf>
          <OrgnlMsgId>780717057/1XXXXX</OrgnlMsgId>
          <OrgnlMsgNmId>mx.pacs009n.swift</OrgnlMsgNmId>
          <OrgnlCreDtTm>2024-05-
09T10:23:13+02:00</OrgnlCreDtTm>
        </OrgnlGrpInf>
        <OrgnlInstrId>780717057/1XXXXX</OrgnlInstrId>
        <OrgnlEndToEndId>NOTPROVIDED</OrgnlEndToEndId>
        <OrgnlUETR>3b49d8ec-8ca4-4cab-92a6-
87ceed155c63</OrgnlUETR>
        <OrgnlIntrBkSttlmAmt
Ccy="JPY">995253146</OrgnlIntrBkSttlmAmt>
        <OrgnlIntrBkSttlmDt>2024-05-10</OrgnlIntrBkSttlmDt>
        <CxlRsnInf>
          <Rsn>
            <Cd>UPAY</Cd>
          </Rsn>
        </CxlRsnInf>
      </TxInf>
    </Undrlyg>
  </FIToFIPmtCxlReq>
</Document>

```

### Example of an Xact File Transfer format instruction file

The example below shows an input file containing an MT540 message followed by an MT543 message.

```
HEADERCLEARSTREAM BANKING
{1:F01BANKLULLXXXX0000000000}{2:I540CEDELULLXXXXN}{3:{108:message user
reference}}{4:
:16R:GENL
:20C::SEME//CHECK-53A1
:23G:NEWM
:16S:GENL
:16R:TRADDET
:98A::SETT//20010508
:98A::TRAD//20010504
:35B:ISIN HK0008009653
:70E::SPRO//ab/ADDPRTY/
:16S:TRADDET
:16R:FIAC
:36B::SETT//UNIT/10,
:97A::SAFE//12345
:16S:FIAC
:16R:SETDET
:22F::SETR//TRAD
:16R:SETPRTY
:95P::PSET//HKSCHKH1
:16S:SETPRTY
:16R:SETPRTY
:95Q::DEAG//HONGKONG AND SHANGHAI
BANKING CORPORATION LTD
:16S:SETPRTY
:16R:SETPRTY
:95Q::SELL//BANQUE GENERALE
DU LUXEMBOURG
:97A::SAFE//12345
:16S:SETPRTY
:16S:SETDET
-}{1:F01BANKLULLXXXX0000000000}{2:I543CEDELULLXXXXN}{3:{108:message user
reference}}{4:
:16R:GENL
:20C::SEME//2310702-P3
:23G:NEWM
:16S:GENL
:16R:TRADDET
:98A::SETT//20010508
:98A::TRAD//20010504
:35B:ISIN DE0001025708
:16S:TRADDET
:16R:FIAC
:36B::SETT//FAMT/240000,
:97B::SAFE//ABRD/11215TEST
:16S:FIAC
:16R:SETDET
:22F::SETR//TRAD
:16R:SETPRTY
:95P::PSET//CEDELULL
:16S:SETPRTY
:16R:SETPRTY
:95R::REAG/CEDE/12345
:16S:SETPRTY
:16R:AMT
:19A::SETT//EUR192000,
:16S:AMT
:16S:SETDET
-}
TRAILERCLEARSTREAM BANKING0000000000002
```

## | Giovannini File Transfer Rulebook XML header for ISO 15022 format

### Header format

Clients using this format must follow the ISO 15022 standard format as defined by Swift in the Giovannini File Transfer (GFT) Rulebook specifications which are available on [www.swift.com](http://www.swift.com) and must also comply with Clearstream's requirements as listed below.

### Header content

The following fields are mandatory fields in the transmission:

#### **Sender**

For files sent by Xact File Transfer via Internet, this field must contain your Xact File Transfer via Internet address. For files sent over Xact File Transfer via FileAct, it must contain the BIC-8 of your institution.

#### **Receiver**

must contain 'CEDELULL'

#### **Payload identifier**

Must contain the file name. For compressed files, this field must contain the .GZ extension.

#### **Creation date and time**

Must contain a valid creation date and time in the format DD-MM-YYYY HH:MM:SS

#### **Payload type**

must contain "ISO 15022"

#### **Number of Documents**

must contain the exact number of ISO messages present in the payload

#### **Document delimiter**

must contain '-}'

Notes:

- The payload must contain valid ISO files with blocks 1 to 4. Block 5 is not accepted by Clearstream in a GFT input file.
- Files with multiple payloads are not accepted. Only one payload with ISO messages of the same type (i.e. cash or securities type instructions) are accepted.
- Non ISO messages cannot be transmitted with the Giovannini FT Header. For non-ISO messages, the CBL proprietary formats will continue to apply.
- GFT compliant Files must use UTF-8 encoding. Other formats will not be accepted by Clearstream.

## | ISO 15022 format

The ISO 15022 messages and envelope should have the formats as defined by the standard ISO 15022 (Swift) messaging guidelines.

### Example of an instruction file with GFT Rulebook header

```
<?xml version="1.0" encoding="UTF-8"?>
<Exchange>
  <Header>

    <Sender>
      <Identifier>BANKLULL</Identifier>
    </Sender>
    <Receiver>
      <Identifier>CEDELULL</Identifier>

    </Receiver>

  </Header>
  <PayloadDescription>
    <PayloadDetails>

<PayloadIdentifier>CON003.005.002.CR85.FA.54x.with.vaild.number.of.Documents.iso
</PayloadIdentifier>
      <CreationDateAndTime>01-09-2008</CreationDateAndTime>

    </PayloadDetails>
    <PayloadTypeDetails>
      <Type>ISO15022</Type>

    </PayloadTypeDetails>

    <TechnicalInfo>

      <DocumentDelimiter>-}</DocumentDelimiter>

    </TechnicalInfo>
    <ManifestDetails>

      <NumberOfDocuments>2</NumberOfDocuments>
    </ManifestDetails>
  </PayloadDescription>
  <Payload>
    <Data>
{1:F01CEDELUL0AXXX0000000000}{2:I540CEDELUL0AXXXN}{3:{108:BANKLULLXXXX}}{4:
:16R:GENL
:20C::SEME//GFT-CS-MT540
:23G:NEWM
:16S:GENL
:16R:TRADDET
:98A::SETT//20080902
:35B:ISIN XS0082720698
BIRS 0 97/28
:16S:TRADDET
:16R:FIAC
:36B::SETT//FAMT/10000,
:97A::SAFE//12345
:16S:FIAC
:16R:SETDET
:22F::SETR//TRAD
:16R:SETPRTY
:95P::PSET//CEDELULL
:16S:SETPRTY
:16R:SETPRTY
:95R::DEAG/CEDE/67890
:16S:SETPRTY
:16S:SETDET
-}
{1:F01CEDELUL0AXXX0000000000}{2:I542CEDELUL0AXXXN}{3:{108:BANKLULLXXXX}}{4:
:16R:GENL
:20C::SEME//GFT-CS-MT542
:23G:NEWM
```



```
:16S:GENL
:16R:TRADDET
:98A::SETT//20080903
:35B:ISIN XS0082720698
BIRS 0 97/28
:16S:TRADDET
:16R:FIAC
:36B::SETT//FAMT/100000,
:97A::SAFE//12345
:16S:FIAC
:16R:SETDET
:22F::SETR//TRAD
:16R:SETPRTY
:95P::PSET//CEDELULL
:16S:SETPRTY
:16R:SETPRTY
:95R::REAG/CEDE/67890
:16S:SETPRTY
:16S:SETDET
-}
</Data>
  </Payload>
</Exchange>
```

## Feedback file for ISO 15022 format

Immediately upon receipt of a client cash or securities instruction in ISO 15022 format, Clearstream Banking runs a syntactical validation routine to check for format and completeness.

Badly formatted or erroneous securities instructions that are identified in the initial validation routine will not be processed further by Clearstream Banking and will be advised to the client immediately by means of a technical feedback file.

**Note:** Where an instruction contains more than one error, Clearstream Banking cannot guarantee to identify each error in the advice of error message sent to the client.

## Correlation of the Feedback file to relevant instruction file

The technical feedback file can be correlated to the relevant instruction file using the &RFILE parameter. For example, if &RFILE is set to "TCHFBACK", then the name of the technical feedback file will be TCHFBACK.TXT. For more details on using the &RFILE parameter please refer to the Xact File Transfer User Manual.

## Feedback file structure

The structure of the feedback file depends upon the results of the instruction file validation:

- If the instruction file is found to be valid, the feedback file will have the same structure as the instructions file. It will contain the same number of ISO 15022 messages as on the inbound file and its envelope will be exactly the same as that of the inbound file.

Additionally, each ISO format instruction will have the results of its validation added to it. The number of errors reported arising from this validation is limited to a maximum of ten errors per ISO 15022 format instruction.

- If the instruction file is found to be invalid, it will contain just one message.

## Valid instruction file

If the instruction file is found to be valid, each ISO message has the results of its validation added to it as a sixth block with format {6:STATUS:3!n/100x} where:

3!n        represents the status value  
100x      represents the status description

## Status messages

Possible values for the status message are as follows:

Status value	Status description
000	OK
001	SWIFT MESSAGE TYPE NOT ACCEPTED
002	ACCOUNT NOT AUTHORISED FOR THIS EMITTER
003	MESSAGE NOT ISO15022 COMPLIANT
004	MESSAGE DOES NOT COMPLY WITH CLEARSTREAM BANKING SWIFT CLIENT GUIDE RULES plus Xact File Transfer error message - see below for details
005	MESSAGE NOT SWIFT COMPLIANT plus Network Validated Rule

The specific errors arising from status value 004 are shown in the following table.

Xact File Transfer error messages
25 is a mandatory field
33B is a mandatory field
53a is a mandatory field
53a is not valid. It must be :53a:[/1!a]/CEDEL or :53a:[/1!a]/cedel
56a is a mandatory field
57a is a mandatory field
Cash instructions must contain header/trailer
Field 97A in sequence E1 not found
File must be ASCII (DOS) format compliant
File must be ASCII (DOS) or EBCDIC format compliant
In field 70E of sequence B, code word /ADDSETN/ and /ADDSETD/ cannot be together
Invalid Account set-up. Please contact your local client services officer and ask for your account to be linked to your Xact File Transfer address
Invalid accrued interest Sequence E3 field 19A
Invalid amount Sequence E3 field 19A (SETT)
Invalid code in field 36B of sequence C. Code AMOR not allowed
Invalid code in field 23B. Only 'CRED' value is allowed
Invalid combination of fields (22F, 23G, 35B, 95a). Internal transaction type cannot be identified
Invalid counterparty account number
Invalid fees Sequence E3 field 19A (SPCN)
Invalid field 70D in sequence C (invalid nominal value)
Invalid field 70D in sequence C (invalid number of nominal value)
Invalid format for tag 95Q
Invalid format of field 95Q, sequence E1
Invalid ISO15022 Message
Invalid option P, Q or R of field 95, sub sequence E1 qualifier DEAG or REAG
Invalid option in field 56a, only option A is allowed
Invalid option in field 56a, only options A and D are allowed
Invalid option in field 57a, only options A and D are allowed
Invalid price Sequence B field 90
Invalid qualifier in field 97 in sequence C. Qualifier SAFE has not been found
Invalid quantity Sequence C field 36B
Invalid trade amount Sequence E3 field 19A (DEAL)
Mandatory Field 97 option A not found in sequence E1
Message type not allowed
Missing Account number either in 95R or in 97A (SAFE)
Missing field 19A, sequence E3, qualifier STAM
Missing Field 94 (place of trade) sequence B
Missing field 95, sequence E1
No internal/bridge physical instruction allowed
No settlement amount in this instruction. Field 19A of sequence E3 not found
No valid Security code found in field 35B
Only one occurrence of sequence C is allowed in message MT54x
Only option A of field 97 in sequence C must be used
Place of Settlement unknown
Priority incompatibility. Invalid combination of field 22F and field 70E. in sequence B
Qualifier RTGS allowed only for internal instruction
Technical error during processing of the message

### Example of a feedback file for a valid instruction file

The example below shows a feedback file with a status 004 error message for the second instruction, an MT543 message. This instruction was rejected because option B was used instead of option A in field :97a: (Safekeeping Account) in sequence C, Financial Instrument/Account.

```
HEADERCLEARSTREAM BANKING
{1:F01CEDELULLAXXX0000000000}{2:I540CEDELULLAXXXN}{3:{108:BANLULXXXX}}{4:
:16R:GENL
:20C::SEME//CHECK-53A1
:23G:NEWM
:16S:GENL
:16R:TRADDET
:98A::SETT//20010508
:98A::TRAD//20010504
:35B:ISIN HK0008009653
:70E::SPRO//ab/ADDPRTY/
:16S:TRADDET
:16R:FIAC
:36B::SETT//UNIT/10,
:97A::SAFE//12345
:16S:FIAC
:16R:SETDET
:22F::SETR//TRAD
:16R:SETPRTY
:95P::PSET//HKSCHKH1
:16S:SETPRTY
:16R:SETPRTY
:95Q::DEAG//BANK LTD
:16S:SETPRTY
:16R:SETPRTY
:95Q::SELL//BANKB LTD
:97A::SAFE//12345
:16S:SETPRTY
:16S:SETDET
-
}{6:STATUS:000/OK}{1:F01CEDELULLAXXX0000000000}{2:I543CEDELULLAXXXN}{3:{108:BANK
XXXX}}{4:
:16R:GENL
:20C::SEME//2310702-P3
:23G:NEWM
:16S:GENL
:16R:TRADDET
:98A::SETT//20010508
:98A::TRAD//20010504
:35B:ISIN DE0001025708
:16S:TRADDET
:16R:FIAC
:36B::SETT//FAMT/240000,
:97B::SAFE//ABRD/11215TEST
:16S:FIAC
:16R:SETDET
:22F::SETR//TRAD
:16R:SETPRTY
:95P::PSET//CEDELULL
:16S:SETPRTY
:16R:SETPRTY
:95R::REAG/CEDE/12345
:16S:SETPRTY
:16R:AMT
:19A::SETT//EUR192000,
:16S:AMT
:16S:SETDET
-}{6:STATUS:004/MESSAGE DOES NOT COMPLY WITH CLEARSTREAM BANKING SWIFT CLIENT
GUIDE RULES/9017/Only option A of field 97 in sequence C must be used.}
TRAILERCLEARSTREAM BANKING0000000000002
```

### Example of technical feedback validation file in ISO 20022 format

```
#positive feedback  
<payload>  
MX_pacs008_010.xml:OK  
#negative feedback  
<payload>
```

```
MX_pacs009_MPM02new.xml:NOK:Emittor not authorised to instruct on A/C.
```

## Invalid instruction file

If the instruction file is found to be invalid, the file will contain just one message, the status message, with the following format:

- Line 1: "Status" (3!n/100x), where:  
3!n represents the status value; and  
100x represents the status description;  
Line 2: "File received at" (Date/Time receipt timestamp provided by Xact File Transfer);  
Line 3: "File Name" (File name).

Status messages are grouped by account number within the same scheduled report file and possible values are as follows:

Status value	Status description
104	File is not readable; for example, it does not contain Swift messages
105	Expected number of Swift messages (as indicated on the trailer) is different from the actual number of messages found in the file
106	File does not have a correct header
107	File does not have a correct trailer
108	Failed file header validation error. FIELD_NAME supplied in the header is incorrect
109	Failed file validation error. Only one Payload must be present in the file
110	Failed file validation error. Missing account setup for Giovannini File Transfer request
110	Failed file validation error. File must be Giovannini compliant
110	Failed file validation error. Block 5 not allowed
110	Failed file validation error. Payload not Swift compliant
111	File encoding is not UTF-8

## Example of a feedback file for an invalid instruction file

```
HEADERCLEARSTREAM BANKING
{6:STATUS:104/File is not readable; for example, it does not contain Swift
messages
FILE RECEIVED AT: 2005-04-14 08:45:59
FILE NAME: VPN104_001.txt}
TRAILERCLEARSTREAM BANKING0000000000001
```

This page has intentionally been left blank.

## 2. Corporate Actions reference data

Clients can submit a list of security codes to Clearstream Banking and receive a report with all Corporate Actions Notifications associated with the securities. This report will be sent to the Xact File Transfer FileStore.

Additionally, Triparty Repo clients can receive Corporate Actions Notifications and Income Pre-advice for securities blocked in Triparty repo transactions.

The steps below must be followed in order to receive the report:

1. Clients must schedule the generation of the report in Xact Web Portal or CreationOnline. This specifies the delivery channel and the options that will apply to the report. The schedule must only be set-up once to enable the generation and delivery of reports.
2. Clients then upload, using Xact File Transfer via Internet, a file containing the list of security codes for which they require Corporate Actions and IPAR Notifications.
3. Upon receipt of the list of security codes, the report is automatically scheduled and will be produced on a daily basis. This step is not required for Triparty Repo Subscriptions.
4. If clients want to add or remove securities from the list, they must resubmit a complete list of security codes. The new list will supersede the old one.

### Input file

The client input file containing the list of securities must be an ASCII text file with the following structure:

- Header (first line) must be `HEADERCLEARSTREAM BANKING`
- There must be one single security code per line, either ISIN or Common Code (the file may contain a mix of ISIN and Common Codes)
  - Format of Common Code must be 12!n, i.e. 12 numbers fixed length with leading zeroes (e.g. 000123456789)
  - Format of ISIN must be 12!cSEC1!e, i.e. 12 characters fixed length determining the ISIN, followed by the code word SEC, followed by a space (e.g. AB1234567891SEC\_)
- Trailer (last line) must be `TRAILERCLEARSTREAM BANKING13!n`

where 13!n equals the total number of ISIN/Common codes contained in the file, with leading zeroes up to the fixed length of 13 numbers. In case a security is listed more than once, it will only be considered once. Example: `TRAILERCLEARSTREAM BANKING00000000000123`

- The filename must be: `card.input.CUSTREPNAME.csv`

where CUSTREPNAME is the Customer Report Name of the scheduled report in Xact Web Portal or CreationOnline.

If the filename is not correct, the list of instruments cannot be applied to the scheduled report (reflected in "Financial Instruments File timestamp" in Xact Web Portal or CreationOnline) and a "NoSub" validation file is returned in Xact File Transfer to indicate the failed upload.



Example of a file:

χαρδ. ι ν π υ τ. ΜΡΕΠΙΟΥΤ. χ σ ω

HEAΔEPXAEAPCTPEAM	BANKI NT
000001000101	
AY0010001369SEX_α	
ΓB0040133505SEX_	
TPAI AEPXAEAPCTPEAM	BANKI NT00000000000003

a. " \_ " represents a space

Clients must upload the Input file in their "Instructions\_inbox" folder of Xact File Transfer via Internet.

Once an input file has been sent to Clearstream Banking, a copy is stored in the "Instructions\_sent" folder for 5 days.

When a new file (with same file name) is received and accepted, it will overwrite the previous file and update the corresponding report schedule.

## Validation file

When submitted, the input file is validated by Clearstream Banking and a status file is created and sent to the Xact File Transfer via Internet "Report" folder.

1. If the syntax validation of the file is successful and the list of financial instruments can be applied to the client's report subscription, a status file with the following naming convention is sent:

card.status.CUSTREPNAM.OK.ENDPERIOD.BDATE.xml

where

- CUSTREPNAM is the name clients gave the report at subscription in Xact Web Portal or CreationOnline
- OK indicates a successful validation status
- ENDPERIOD is the system time (HHMM format),
- BDATE is the business date (YYYYMMDD format).

A successful file contains "OK" plus the number of Financial Instruments received.

2. If the syntax validation of the file is unsuccessful and the syntax validation of the file content failed, a status file with the following naming convention is sent:

card.status.CUSTREPNAM.NOK.ENDPERIOD.BDATE.xml

where

- NOK indicates an unsuccessful validation status

An unsuccessful file contains "NOK" plus the relevant error message(s).

If the file is syntactically correct but contains one or more invalid ISIN or Common Codes, the entire file is rejected.

3. If no Report Subscription exists for an input file, a status file with the following naming convention is sent:

card.status.CUSTREPNAM.NOSUB.ENDPERIOD.BDATE.xml

where

- NOSUB indicates an unsuccessful validation status

## Output file

The report is produced every business day before 06:00 CET and is sent to the clients' Xact File Transfer address. The report has the following naming convention:

card.output.CUSTREPNAM.FREQ.MODE.ENDPERIOD.BDATE.TID.EXT

where

- CUSTREPNAM is the Customer Report Name
- FREQ is always "DAILY"
- MODE is either "DELTA" or "COMPLETE"
- ENDPERIOD is the system time (HHMM format)
- BDATE is the "Business Date" (in format YYYYMMDD).
- TID is the Clearstream Banking internal template identifier
- EXT is either "ISO", "PDF" or "XML"

This page has intentionally been left blank.

### 3. French Financial Transaction Tax (FTT)

Clients can submit FTT Declarations using their Xact File Transfer filestore. Valid declarations are then forwarded to Euroclear France. The resulting FTT Status Message is automatically posted on the originating filestore.

The steps below must be followed:

1. Clients upload, using Xact File Transfer via Internet, a file containing the transactions they must declare under the French Financial Transactions Tax.
2. Upon receipt of the declaration, the file is validated by Clearstream. Incorrect files are rejected and a technical rejection is sent.
3. If the declaration is valid, it is immediately forwarded to Euroclear France. An FTT Status Message is then sent by Euroclear France notifying acceptance or rejection of the declaration. Clearstream Banking posts the validation as soon as it is received from Euroclear France.

#### Input file

The client declaration file must contain an ASCII text file formatted as a CSV with the following structure:

- The filename must be:  
ftt.decl.CUSTFT.DATE.TIME.csv  
where
  - CUSTFT is the file name defined by the client
  - DATE is the date the declaration is submitted (YYYYMMDD)
  - TIME is the time the declaration is submitted (HHMMSS)
- The elements in the file must be separated by a colon (;)

Please refer to the [French FTT declaration and status description Excel file](#).

#### Example of a declaration

##### ftt.decl.MYFTT.20121002.164530.csv

```
641; Δ; 5493. 76; 6; 20121002; 201211; / 12345/ MYFTT001; ΧΕΔΕΛΥΛΑΞΞΞ; Χλεαρστρεαμ Βανκι νγ; 42 Απ. Κεννεδης; ΛΥΞ; NONE  
1; Τρανσαχτιον1; Σ; Ν; ΦΡ0000120685; 20121010; 20121013; 123; YNT; 26468, 76; Ψ; ; 264. 69; ΞΠΑΡ;  
2; Τρανσαχτιον2; Ρ; Ν; ΦΡ0000130809; 20121010; 20121013; 124; YNT; 421778; Ψ; ; 4217. 78; ΞΠΑΡ;  
3; Τρανσαχτιον3; Σ; Ν; ΦΡ0000130810; 20121010; 20121013; 125; YNT; 1128, 70; Ψ; ; 11. 29; ΞΠΑΡ;  
4; Τρανσαχτιον4; Σ; Ν; ΦΡ0000130810; 20121010; 20121013; 126; ΦΜΓ; 100000, 00; Ψ; ; 1000; ΞΠΑΡ; Ναρρατι πε Τρανσαχτιον4  
5; Τρανσαχτιον5; Σ; Ν; ΦΡ0000130809; 20121010; 20121013; 127; YNT; 15928, 72; Ν; 2; 0; ΞΠΑΡ; Ναρρατι πε Τρανσαχτιον5  
6; Τρανσαχτιον6; Σ; Ν; ΦΡ0000130812; 20121010; 20121013; 128; YNT; 928, 73; Ν; 3; 0; ΠΛΑΧ; Ναρρατι πε φορ Τρανσαχτιον6
```

Clients must upload the declaration file in their "Instruction\_inbox" folder of Xact File Transfer via Internet.

Once an input file has been sent to Clearstream Banking, a copy is stored in the "Instructions\_sent" folder for 5 days.

## Validation file

When submitted, the input file is validated by Clearstream Banking and a status file is created and sent to the Xact File Transfer via Internet "Report" folder.

1. If the syntax validation of the declaration is successful and it was subsequently accepted by Euroclear France, a status file with the following naming convention is sent:

ftt.decl.faccept.CUSTFT.DATE:TIME.csv

where

- CUSTFT is the file name defined by the client
- DATE is the date the declaration feedback is submitted,
- TIME is the time the declaration feedback is submitted.

2. If the syntax validation of the file is unsuccessful and the syntax validation of the file content failed, a status file with the following naming convention is sent:

ftt.decl.treject.CUSTFT.DATE:TIME.csv

3. If the business content of the file is incorrect, a status file with the following naming convention is sent:

ftt.decl.freject.CUSTFT.DATE:TIME.csv

If the file is syntactically correct but contains one or more invalid transactions, the entire file is rejected and must be resubmitted.

Please refer to the [French FTT declaration and status description Excel file](#).

## Example of a rejection file

607; Δ; 28653, 06; 3; 20121012; 201211; / 82700/ Μ/ΦΤΤΔεχλαρατιον001; ΧΕΔΕΛΥΛΛΕΞΕΞ; Χλεαρστρεαμ Βανκι νγ; 42 Απ.  
Κε ννεδψ; ΔΥΞ; νονε; Χ0103004; Μ ΣΜΑΤΧΗ ΒΕΤΩΕΝ ΤΟΤΑΛ ΤΑΞ ΑΜΟΥΝΤ ΗΕΑΔΕΡ ΦΙ ΕΛΛ 3 ΑΝΔ ΑΛΛ Ι ΝΔΙ ςΙ ΔΥΑΛ  
ΤΡΑΝΣΑΧΤΙ ΟΝΣ; 20121017172108

## 4. Receiving reports

Xact File Transfer clients should contact the Clearstream Banking Connectivity Help Desk concerning their reporting requirements<sup>1</sup>.

As reports are generated, they are packaged as standard output messages within the ISO envelope according to the standard ISO (Swift) messaging guidelines with a header and a trailer record added.

Clearstream offers the choice of two different formats for the headers and trailers:

- Xact File Transfer format (available on all Xact File Transfer channels).
- Giovannini File Transfer Rulebook format. (only available on Xact File Transfer via Internet and Xact File Transfer via FileAct)

The choice between the two formats can be specified by the client during the address setup. For Xact File Transfer via Internet, this can be done in Xact Web Portal via a flag in the Address Details. For Xact File Transfer via FileAct, the option is available via the main subscription form. Clients may also request to use the Giovannini File Transfer header by sending an authenticated MT599 or by contacting the Connectivity Help Desk.

Once a format is specified on a Xact File Transfer Address, it will apply to all Clearstream inbound (instructions) and outbound (reports) ISO files transmitted via the specified address.

If a particular report exceeds the size limit for ISO messages, it will be split into as many messages as are necessary.

A scheduled report may be requested for more than one account number. In this case, the messages are grouped by account number within report schedule.

### Available ISO Messages types

Below are the ISO message types supported by Xact File Transfer.

#### Clearing and settlement reports

MT508 Intra-Position Advice

MT544 Receive free confirmation

MT545 Receive against payment confirmation

MT546 Deliver free confirmation

MT547 Deliver against payment confirmation

MT548 Settlement Status and Processing Advice

MT578 Settlement Allegements Report

---

<sup>1</sup> Xact Web Portal can be used schedule requests for the retrieval of reports via Xact File Transfer or Xact via Swift.

## Securities statements

MT535 Statement of Holdings report  
MT536 Statement of Transactions report  
MT537 Statement of Pending Transactions report  
MT538 Statement of Intra-Position Advices  
MT586 Statement of Settlement Allegements report

## Cash statements and reports

MT900/910 / camt.054 Bank To Customer Debit Credit Notification  
MT940 / camt.052 Money Suspense Report  
MT942 / camt.052 Interim Money Suspense Report  
MT950 / camt.053 Money Statement  
MT950 / camt.053 Cash Balance report  
MTn95 Query Message / camt.110 - Negative Validation Feedback

## Custody reports

MT564 / seev.031 Corporate Action Notification  
MT564 / seev.035 Income Pre-Advice Report (IPAR)  
MT566 / seev.036 Corporate Action Confirmation  
MT566 REVR / seev.037 (CARE) Corporate Action Movement Reversal Advice  
seev.003 Meeting Entitlement Notification  
seev.006 Meeting Instruction Status  
seev.007 Meeting Vote Execution Confirmation  
seev.008 Meeting Result Dissemination  
MT564 / seev.001 Meeting Event Notification  
MT564 / seev.002 Meeting Event Cancellation  
MT567 INST / seev.034 (CAIS) Corporate Action Instruction Status Advice  
MT567 CAST / seev.041 (CACS) Corporate Action Instruction Cancellation Request Status Advice

## Triparty Collateral Management reports

MT569 Triparty Collateral and Exposure Statement

## Miscellaneous reports

MT290 Securities Lending and Borrowing Common report  
MT935 Monthly Interest Scale report  
USTAX U.S. Withholding Tax report

## ISO report files naming convention

The naming structure for ISO report files (other than the MT548 Validation Feedback report - see overleaf) is as follows:

ACCOUNT.CUSTOMERREPORTNAME.REPTYP.FREQ.MODE.ENDPERIOD.BDATE.REPORTID.ISO

where:

**ACCOUNT** = Client account number (5 Digits). For MT569 (TRPCOLRECSTMNT), the client CmaX short code will be used.

**CUSTOMERREPORTNAME** = Customer Report Name. This is the name that is input by the client at the report subscription within Xact Web Portal (maximum 60 characters).

**Note:** CUSTOMERREPORTNAME can contain only characters that are supported by UNIX file names.

**REPTYP** = Report type. This can have the following values:

CACONF, CANOTIF, CASHBAL, CASHCONF, INTERIMMONEYSUSP, INTRAPOSADV, INTRAPOSSTMNT, MIS, MONEYSUSP, MONEYSTMNT, MONEYSUSP, SETTALGMNT, SETTCONF, SETTSTATUS, SLBC, STMNTOFALLGMNT, STMNTOFHOLD, STMNTOFPEND, STMNTOFTXN, TRPCOLRECSTMNT, TRPCOLGIVSTMNT, USTAXALL, USTAXNONUSPERSON, USTAXUSPERSON

**FREQ** = Report frequency. This can have the following values:

ALWAYS, CONT, DAILY, INTRADAY, MONTHLY, QUARTERLY, WEEKLY, YEARLY

**MODE** = Either Complete or Delta

**ENDPERIOD** = Business day processing time (HHMM). This can have the following values:

0000, 0100, 0200, 0300, 0400, 0500, 0630, 0730, 0830, 0930, 1030, 1130, 1200, 1300, 1330, 1430, 1530, 1600, 1630, 1700, 1800, 1900, 2115, 2130, 2200, 2300

**BDATE** = Business date (YYYYMMDD)

**REPORTID** = A number uniquely identifying the generated report (internal technical number).

**ISO** = File extension: fixed = **ISO**

**Note:** ISO reports with the GFT Rulebook header will have the extension .ISO.XML

## File naming convention for the MT548 Validation Feedback report file

The naming structure for the MT548 Validation Feedback report file is as follows:

ACCOUNT.CUSTOMERREPORTNAME.REPTYP.FREQ.MODE.ENDPERIOD.BDATE.ISO

where:

**ACCOUNT** = Client account number: fixed = **MULTI**

**CUSTOMERREPORTNAME** = Customer Report Name: fixed = **548**

**REPTYP** = Report type: fixed = **VALFDBCK**

**FREQ** = Report frequency: fixed = **continuous**

**MODE** = Either Complete or Delta: fixed = **COMPLETE**

**ENDPERIOD** = The time it was released from the Creation Platform (HHMM).

**BDATE** = Business date (YYYYMMDD)

**ISO** = File extension: fixed = **ISO**

**Note:** MT548 validation feedback reports with the GFT Rulebook header will have the extension .ISO.XML

For example:

MULTI.548.VALFDBCK.continuous.COMPLETE.1645.20030801.ISO

**Note:** The MT548 Validation Feedback report cannot be subscribed to as such but is sent automatically to Xact File Transfer clients whenever instructions are rejected by Clearstream Banking.



## File naming convention for the MTn95 Validation Feedback report file

The naming structure for the MTn95 Validation Feedback report file is as follows:

ACCOUNT.CUSTOMERREPORTNAME.REPTYP.FREQ.MODE.ENDPERIOD.BDATE.ISO

where:

**ACCOUNT** = Client account number: fixed = **MULTI**

**CUSTOMERREPORTNAME** = Customer Report Name: fixed = **n95**

**REPTYP** = Report type: fixed = **VALFDBCK**

**FREQ** = Report frequency: fixed = **continuous**

**MODE** = Either Complete or Delta: fixed = **COMPLETE**

**ENDPERIOD** = The time it was released from the Creation Platform (HHMM).

**BDATE** = Business date (YYYYMMDD)

**ISO** = File extension: fixed = **ISO**

**Note:** MTn95 Validation Feedback reports with the GFT Rulebook header will have the extension .ISO.XML

For example:

MULTI.n95.VALFDBCK.continuous.COMPLETE.180920070516.ISO

**Note:** The MTn95 Validation Feedback report cannot be subscribed to as such but is sent automatically to Xact File Transfer clients whenever instructions are rejected by Clearstream Banking.

## File naming convention for the Xact File Transfer Technical Feedback report file

The naming structure for the Xact File Transfer Feedback report file is as follows:

TASKID.DATE.TIME.CUSTOMERFILENAME.ISO.TECHFDBCK.ISO

The naming convention for technical feedback files has been designed to help clients to match each instruction with its corresponding technical feedback file. The Xact File Transfer Technical Feedback report does not follow a valid ISO 15022 format, and is therefore not applicable for the GFT Rulebook header

In the above example, the original instruction file is:

**TASKID** = Task ID

**DATE** = The date the instruction file was sent to CBL (YYYYMMDD)

**TIME** = The time it was sent to CBL (HHMMSS)

**CUSTOMERFILENAME** = The name of the file when it was sent to CBL

**ISO** = Indicator that this is an ISO file

**TECHFDBCK** = The report type

**ISO** = File extension: fixed = **ISO**

## ISO 15022 report file structure

### Xact File Transfer format

The envelope of the report file has the following structure.

#### Structure of ISO report file

Header
One or more ISO messages:
Trailer (for transmission control)

**Note:** By default, reports delivered to clients using Xact File Transfer via LiMa contain no Header or Trailer. Clients using Xact File Transfer via LiMa must specifically request that their reports should contain Headers and Trailers.

#### Header format

The header has the format 25! and values as follows:

25!a      HEADERCLEARSTREAM BANKING

#### ISO messages

The ISO messages and envelope are formatted according to standard ISO (Swift) messaging guidelines.

**Note:** Only blocks 1 to 4 are included in messages; block 5 is not included.

On all business reports, the BIC address for Clearstream Banking in block 1 is always CEDELULLFXXX (see [“Example of a Xact File Transfer format report file”](#) on page 4-6).

#### Trailer format

The trailer has the format 26!a13!n and values as follows:

26!a      TRAILERCLEARSTREAM BANKING

13!n      The number of Swift messages in the file (right-aligned with leading zeros),  
for example, 0000000000005

## Example of a Xact File Transfer format report file

The example below shows an input file containing two MT535 messages.

```
HEADERCLEARSTREAM BANKING
{1:F01CEDELULLFXXX0000000000}{2:05351755021202CEDELULLEXXX0000000000212021755N}
{3:{108:REPORTSERVER}}{4:
:16R:GENL
:28E:1/ONLY
:13A::STAT//009
:20C::SEME//00000000Z8O2R
:23G:NEWM
:98C::STAT//20011113160000
:22F::SFRE//INDA
:22F::CODE//COMP
:22F::STTY//CUST
:22F::STBA//SETT
:97A::SAFE//12345
:17B::ACTI//N
:17B::CONS//N
:16S:GENL
-}
{1:F01CEDELULLFXXX0000000000}{2:05351756021202CEDELULLIXXX0000000000212021756N}
{3:{108:REPORTSERVER}}{4:
:16R:GENL
:28E:1/ONLY
:13A::STAT//009
:20C::SEME//00000000Z8RXL
:23G:NEWM
:98C::STAT//20011113160000
:22F::SFRE//INDA
:22F::CODE//COMP
:22F::STTY//CUST
:22F::STBA//SETT
:97A::SAFE//12345
:17B::ACTI//N
:17B::CONS//N
:16S:GENL
-}
TRAILERCLEARSTREAM BANKING0000000000002
```

## Giovannini File Transfer Rulebook XML Header

### Header format

Clearstream reports will follow the standard format as defined by Swift in the GFT Rulebook specifications which are available on [www.swift.com](http://www.swift.com).

### Header content

The following fields are supplied in the transmission:

**Sender**

will contain 'CEDELULL'.

**Receiver**

For files sent by Xact File Transfer via Internet, this will contain your Xact File Transfer via Internet address. For files sent by Xact File Transfer via FileAct, this contains the BIC-8 of your institution.

**Payload identifier**

Contains the file name following Clearstream file naming conventions. For compressed files, this field will also contain the .GZ extension.

**Creation date and time**

Contains the Creation date and time in the format DD-MM-YYYY HH:MM:SS

**Payload type**

Contains 'ISO15022'

**Number of Documents**

Contains the exact number of ISO messages present in the payload

**Document delimiter**

Contains '-}'

**Note:**

- Non ISO messages will not be transmitted with the Giovannini FT Header. For non-ISO messages, the Clearstream Xact File Transfer formats will continue to apply.
- GFT compliant files will use UTF-8 encoding.

### ISO messages

The ISO messages and envelope are formatted according to standard ISO (Swift) messaging guidelines.

**Note:** Only blocks 1 to 4 are included in messages; block 5 is not included.

On all business reports, the BIC address for Clearstream Banking in block 1 is always CEDELULLFXXX (see [“Example of a Xact File Transfer format report file”](#) on page 4-6).

## Example of a GFT Rulebook header report file

```
<?xml version="1.0" encoding="UTF-8" ?>
<Exchange xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <Header>
    <Sender>
      <Identifier>CEDELULL</Identifier>
    </Sender>
    <Receiver>
      <Identifier>WEBX712001</Identifier>
    </Receiver>
  </Header>
  <PayloadDescription>
    <PayloadDetails>
      <PayloadIdentifier>64059.CDI_MT537_ISO_64059.STMNTOFPEND.
        INTRADAY.COMPLETE.1930.20080901.2207195.ISO.XML
      </PayloadIdentifier>
      <CreationDateAndTime>2008-10-31 16:09:58</CreationDateAndTime>
    </PayloadDetails>
    <PayloadTypeDetails>
      <Type>ISO15022</Type>
    </PayloadTypeDetails>
    <TechnicalInfo>
      <DocumentDelimiter>-}</DocumentDelimiter>
    </TechnicalInfo>
    <ManifestDetails>
      <NumberOfDocuments>1</NumberOfDocuments>
    </ManifestDetails>
  </PayloadDescription>
  <Payload>
    <Data>
{1:F01CEDELULLFXXX0000000000}{2:01951730081017CEDELULLFXXX00000000000810171730N}
{4:
:20:02EC5N000001
:21:GFT-CDI-103-9X1
:75:Message Rejected.
Please reinstruct corrected message
:11R:103
081017
:79:/REJT/20
/XG01/Duplicate instruction is not permitted
/MREF/GFT-CDI-103-9X1
/TEXT/:23B:CRED
//:32A:080901USD270,27
//:33B:USD270,27
//:50A:PARBFRPP
//:53A:/CEDEL 12345
//BANKLULLXXX
//:57A:CEDELULL
//:59A:/79999
//BANKBEBB
//:71A:SHA
-}
    </Data>
  </Payload>
</Exchange>
```

## Terms and conditions file naming convention

Clients can request terms and conditions from the Terms & Conditions tab of the Financial Instrument Reference Data detailed view screen in Xact Web Portal.

The delivery is immediate through Xact File Transfer via Internet.

The requested document is sent to a dedicated folder, called "Terms and Conditions", in the Xact File Transfer FileStore.

The report has the following naming convention:

ISIN\_Doc-id\_Lng\_User-id\_Ref-id\_Tmstamp.Ext

where

ISIN = the security ISIN code (max 12 char.)

Doc-id = the document id as defined in Hyparchive (link name) (max 12 char.)

Lng = the language (ISO code) of the requested document (max 3 char.)

User-id = the CreationOnline user-id of the requestor (max 35 char.)

Ref-id = the request reference id (max 16 char.)

Tmstamp = the file creation timestamp (YYYYMMDD.HHMMSS)

Ext = File extension:DOC, JPG, PDF, TXT, TIF, etc.

This page has intentionally been left blank.

## 5. XML Report Specifications

### XML report file naming conventions

The naming structure for XML report files (except Shareholder Identification Disclosure messages) is as follows:

ACCOUNT.CUSTOMERREPORTNAME.REPTYP.FREQ.MODE.ENDPERIOD.BDATE.REPORTID.XML

where:

**ACCOUNT** = Client account number (5 Digits).

**CUSTOMERREPORTNAME** = Customer Report Name. This is the name that is input by the client at the report subscription within Xact Web Portal or CreationOnline (maximum 60 characters).

**Note:** CUSTOMERREPORTNAME can contain only characters that are supported by UNIX file names.

**REPTYP** = Report type. This can have the following values:

CACONF, CANOTIF, CASHBAL, CIRPR, INTERIMMONEYSUSP,  
INTRAPOSSTMNT, IPAR, MKTCLM, MIS, MONEYSSTMNT,  
MONEYSUSP, SLBC, STMNTOFALLGMNT, STMNTOFHOLD,  
STMNTOFPEND, STMNTOFREPR, STMNTOFTXN,  
TRPCOLGIVSTMNT, TRPCOLRECSTMNT, USTAXALL,  
USTAXNONUSPERSON, USTAXUSPERSON, UUNOTIF

**FREQ** = Report frequency. This can have the following values:

ALWAYS, CONT, DAILY, INTRADAY, MONTHLY, QUARTERLY,  
WEEKLY, YEARLY

**MODE** = Either Complete or Delta

**ENDPERIOD** = Business day processing time (HHMM). This can have the following values:

0000, 0100, 0200, 0300, 0400, 0500, 0600, 0630, 0730, 0830, 0930,  
1000, 1030, 1130, 1200, 1300, 1330, 1430, 1530, 1600, 1630, 1700,  
1800, 1900, 2000, 2115, 2130, 2200, 2300

**BDATE** = Business date (YYYYMMDD)

**REPORTID** = A number uniquely identifying the generated report (internal technical number).

**XML** = File extension: fixed = **XML**



## XML report file naming convention for Shareholder Identification Disclosure messages

The naming structure for Shareholder Identification Disclosure XML message files is as follows:

ENTITY.REPTYP.VERSION.TIMESTAMP.REPORTID.XML

where:

**ENTITY** = Sending entity. This can be CBL, CBF or LUXCSD.

**REPTYP** = Report type = ISO20022.seev.045

**VERSION** = Version number

**TIMESTAMP** = Generation timestamp (YYYYMMDD"T"HHMMSS)

**REPORTID** = A number uniquely identifying the generated report (internal technical number).

**XML** = File extension: fixed = **XML**

## XML report grouping

Clients have the option to group reports for more than one account into a single XML file. The option can be activated when scheduling any report in XML format in Xact Web Portal.

The structure of the XML remains unchanged except for a new element grouping all different account:

<...xmlreport...RepBundle>

where ...xmlreport... shows the label determining the type of report.

### Example MT950 Cash Balances <CashBalRepBundle>

```
<?xml version="1.0" encoding="ISO-8859-1" ?>
<CashBalRepBundle>
  <CashBalRep repTmpFlg="N" repFreq="INTRADAY" repMode="COMPLETE" tmstmp="2009-04-21T13:41:47">
    <CustRepOptSubscr tmplId="2253291" zeroBallInclFlg="N" schdId="2341500" antNetBallInclFlg="N" tmplDetId="2305501">
      <RepSubscrNm>MT950 CB ER25258 GFV</RepSubscrNm>
    </CustRepOptSubscr>
    <Per>
      <PerStart busEvt="R18" busTime="16:30:00" dt="2009-03-10" />
      <PerEnd busEvt="R19" busTime="17:00:00" dt="2009-03-10" />
    </Per>
    <Acct>
      <AcctNm>CLEARSTREAM ASLPLUS</AcctNm>
      <AcctId acctOrig="CBL"12345</AcctId>
    </Acct>
    <CashBal.section actvFlg="N">
      <CashInstr isoCurrCd="EUR" />
      <Bal IstUpdTmstmp="2009-03-10T17:00:00" IstUpdBusDt="2009-03-10">-76.000000</Bal>
    </CashBal.section>
    <CashBal.section actvFlg="N">
      <CashInstr isoCurrCd="GBP" />
      <Bal IstUpdTmstmp="2009-03-10T17:00:00" IstUpdBusDt="2009-03-10">452812.500000</Bal>
    </CashBal.section>
    <CashBal.section actvFlg="N">
      <CashInstr isoCurrCd="USD" />
      <Bal IstUpdTmstmp="2009-03-10T17:00:00" IstUpdBusDt="2009-03-10">694572.000000</Bal>
    </CashBal.section>
  </CashBalRep>
  <CashBalRep repTmpFlg="N" xmlId="407495736" repFreq="INTRADAY" repMode="COMPLETE" tmstmp="2009-04-21T13:41:47">
    <CustRepOptSubscr tmplId="2253291" zeroBallInclFlg="N" schdId="2341500" antNetBallInclFlg="N" tmplDetId="2305501">
      <RepSubscrNm>MT950 CB ER25258 GFV</RepSubscrNm>
    </CustRepOptSubscr>
    <Per>
      <PerStart busEvt="R18" busTime="16:30:00" dt="2009-03-10" />
      <PerEnd busEvt="R19" busTime="17:00:00" dt="2009-03-10" />
    </Per>
    <Acct>
      <AcctNm>EUREX CLEARING AG</AcctNm>
      <AcctId acctOrig="CBL"11111</AcctId>
    </Acct>
  </CashBalRep>
  <CashBalRep repTmpFlg="N" xmlId="407495740" repFreq="INTRADAY" repMode="COMPLETE" tmstmp="2009-04-21T13:41:47">
```

New XML tag

Account 1

Account 2

### Example camt.053 Cash Balances

```
<?xml version="1.0" encoding="UTF-8"?><Document
xmlns="urn:iso:std:iso:20022:tech:xsd:camt.053.001.08">
  <BkToCstmrStmnt>
    <GrpHdr>
      <MsgId>XXXXXXXXXXXX</MsgId>
      <CreDtTm>2025-06-04T20:41:13+02:00</CreDtTm>
    </GrpHdr>
    <Stmnt>
      <Id>XXXXXXXXXXXX/00</Id>
      <StmntPgntn>
        <PgNb>00001</PgNb>
        <LastPgInd>true</LastPgInd>
      </StmntPgntn>
      <LglSeqNb>0</LglSeqNb>
      <Acct>
        <Id>
```

```

        <Othr>
          <Id>XXXXXX</Id>
        </Othr>
      </Id>
      <Ccy>EUR</Ccy>
    </Acct>
    <Bal>
      <Tp>
        <CdOrPrtry>
          <Cd>OPBD</Cd>
        </CdOrPrtry>
      </Tp>
      <Amt Ccy="EUR">0</Amt>
      <CdtDbtInd>CRDT</CdtDbtInd>
      <Dt>
        <Dt>2025-06-04</Dt>
      </Dt>
    </Bal>
    <Bal>
      <Tp>
        <CdOrPrtry>
          <Cd>CLBD</Cd>
        </CdOrPrtry>
      </Tp>
      <Amt Ccy="EUR">0</Amt>
      <CdtDbtInd>CRDT</CdtDbtInd>
      <Dt>
        <Dt>2025-06-04</Dt>
      </Dt>
    </Bal>
  </Stmt>
</BkToCstmrStmt>
</Document>

```

## Appendix A. Glossary of XML attributes

XML Attribute	Description
@acctOrig	Cash account origin
@actvCd	Activity code
@actvFlg	Activity flag
@altIdTyp	Alternative settlement party identifier type
@amntPrcTyp	Price (Intermediary Security)
@availCd	Available flag
@balTyp	Balance type
@busEvt	Start business event of reporting period
@busTime	From business timestamp
@CAAddNarrTyp	Narrative type
@CAAmntPrcTyp	Price type (CA Detail)
@CACashMveTyp	Cash movement type
@CADtCdTyp	Event date code type (CA Option)
@CADtTyp	Date (Security Movement)
@CAEvtIndTyp	Payment type
@calDt	Call date
@CAMandVoluntIndTyp	Mandatory/Voluntary type
@CANarrTyp	Narrative type (CA Option)
@CAOptCdIndTyp	Payment type
@CAPctPrcTyp	Price type (CA Option)
@CAPerTyp	Period (Security Movement)
@CARef	Corporate Action Reference
@CASecMveTmpTyp	Security movement temporary
@CASecMveTyp	Security movement type
@cashMveAmntTyp	Amount type
@cashMveDt	Aggregate Value date
@chgOrigMsgFlg	General Information
@commissAmntTyp	Total commission amount type
@commonCd	Common code (Security Movement)
@conflnd	Confirmation Indicator
@convDt	Conversion date
@convTypIndCd	Conversion type
@corpActEvtIndTyp	Corporate action event indicator type
@coupDt	Coupon date (CA Option)
@ctryCd	Alternative settlement party identifier country
@custdyEvtCd	CA event code
@CustdyEvtTyp	Custody event type
@custdyReasonCd	CA reason code

XML Attribute	Description
@DayTyp	Day type (Security Movement)
@dfltProcFlg	Default Indicator
@dispoFracIndTyp	Fractions Handling Type (Intermediary Security)
@distTypIndCd	Distribution type code
@divTypIndCd	Dividend type code
@dt	End business date
@dtDt	Date
@effctvDt	Effective date
@effSettleDt	Value date
@eligCd	Eligible code
@entryDt	Entry date
@evntTypCd	Event type code
@execDt	Execution date
@exmptCdId	Exemption code ID (total)
@expcSettleDt	Expected settlement date
@expDt	Expiry date (Security Movement)
@fctMsg	Function of message
@fgFlg	Fungibility flag
@filterCd	Filter code
@finInstrQtyCdTyp	Financial instrument quantity type code
@finInstrQtyTyp	Financial instrument quantity type (CA Detail)
@finRateTyp	Financial instrument rate type (CA Option)
@fltRateNoteDt	Floating Rate Note Reset Date (CA Option)
@frgnXchgTypCd	Foreign exchange type code
@frstIsoCurrCd	First currency code (CA Detail Exchange rate)
@gmtOffset	Offset to GMT
@inputMedia	Input media
@insTypCd	Instruction type
@intAmntStatus	Interest amount status
@intermDtCdTyp	Termination date (Intermediary Security)
@intermDtTyp	Termination date (Intermediary Security)
@intermRateTyp	Rights rate
@intEvntTypCd	Internal event type code
@intTyp	Debit/Credit (interest)
@iRSIncCdId	IRS Income code ID (total)
@iRSRecipCdId	IRS Recipient code ID
@isinCd	ISIN
@isoCurrCd	Currency (balance)
@issDt	Issue date (CA Option)
@lcsTxnTyp	LCS transaction type
@lenBorrInd	Loan/Borrow indicator

XML Attribute	Description
@list	Activity states
@lnkRefTyp	Linkage reference type
@lnkTxnIndTyp	Linkage type
@loanTyp	Loan type
@lstDlvDt	Latest delivery date
@lstUpdBusDt	Value date
@lstUpdDt	Last movement
@lstUpdTmstmp	Last statement
@ltstDlvDt	Latest delivery date
@matDt	Maturity Date (CA Option)
@meetPlaceTyp	Meeting place type
@mrktPrclsoCurrCd	Denominated currency
@msgStatusCd	Message status code
@multTaxRateFlg	Multiple tax rate flag
@mveTyp	Movement type
@nomlsoCurrCd	Nominated currency
@offerTypIndCd	Offer type indicator code (CA Detail)
@OnlyTodayValInsFlg	For Value Today
@optFeatTypInd	Optional indicator
@othPartyTyp	Other party type
@partyCapalndTyp	Party Capacity Indicator type
@payAmntTyp	Total payment amount type
@payUntilDt	Pay Until date
@pctPrcTyp	Percentage type (Cash Movement-Indicative Price)
@pndTradeFlg	Pending trade flag
@ProcStatusCdTyp	Processing status
@putDt	Put date
@qtyTyp	Quantity type
@rateStatus	Rate status (CA Detail)
@rateTyp	Rate type (Security Movement)
@rateTypCd	Rate type code (Security Movement)
@reasonCd	Reason code
@recDt	Record date
@recplsoCurrCd	Exchange rate - into
@RefDtTyp	Date type (CA Option)
@regOvridIndTyp	Registration Override Indicator type
@renchblEntStatusIndTyp	Renounceable status type (Intermediary Security)
@repActvFlg	Report activity flag
@repConsolFlg	Consolidated reporting flag
@repFreq	Reporting frequency
@repMode	Reporting mode

XML Attribute	Description
@repoTypIndTyp	Repo Indicator type
@repTempFlg	Temporary report
@repTyp	Report type
@reqSettleDt	Requested settlement date
@reqSettleDtCdTyp	N/A
@RTGSettleOvridIndTyp	RTGS override indicator type
@scdIsoCurrCd	Second currency code (CA Option)
@secInstrTyp	Instrument type (Security Movement)
@secXferAmntTyp	Amount type
@secXferDirect	Direction of transfer
@secXferTyp	Payment type
@sendRef	Sender's reference
@settlePartyDetlTyp	Settlement party type
@settlePartyNarrTyp	Settlement party narrative type
@settleTxnCondTyp	Settlement transaction condition type
@settleTxnIndTyp	Settlement transaction indicator type
@sfkpngPlaceTyp	Place of safekeeping type (Security Movement)
@sortDt	Sort date
@StandInsFlg	Standing instruction
@statusCd	Status code
@stmntBasisTyp	Statement basis
@stmntTypTyp	Statement type
@storeTmstmp	Store timestamp
@subFctMsg	Sub-function of message
@subRepTyp	Sub-report type
@swiftTxnTypIdCd	Swift transaction type
@swiftTyp	Swift message type
@systOrigId	Origin
@takOvrTypIndCd	Take-over type code (CA Detail)
@taxActvTypCd	Payment amount type code
@taxBenfTypCd	Beneficial owner type
@taxRate	Tax rate (total)
@tmplId	Template ID
@tmstmp	Report generation timestamp
@tradeTxnCondIndTyp	Trade transaction condition type
@tradeTypCd	Trade type
@txnIndTyp	Transaction indicator type
@valDt	Value date
@versNbr	Version number
@xmlId	XML identifier
AccrInt	Accrued interest

XML Attribute	Description
Acct	Account
AcctAbbr	Account abbreviation
AcctId	Account id
AcctNm	Cash account name
AcctNmAddr	Account name and address
Actv	Activity
Actv.list	Activity states
AggrBal	Fungible aggregate balance
AggrCashMveAmnt	Aggregate cash movement
AggrTaxRate	Aggregate tax rate
AllgmntRep.list	List of all allegation instructions
AltId	Alternative settlement party identifier
AltIdString	Alternative settlement party identifier
AmendDt	Amendment date
Amnt	Settled Amount
AntBal	Anticipated Net
Bal	Booked balance
BalAmnt	Balance
BalSfKpng	Safekeeping
BalString	Balance string
BalVal	Quantity
BalValString	Quantity
BorrCrLinBal	Borrowed Credit Line
CAAddInfo	Corporate Action Additional information
CAAddNarr	Narrative
CAAmntPrc	Price (CA Option)
CACashMve	Corporate Action Cash movement
CAConf	Corporate Action Confirmation
CAConfAggrInfo	Corporate Action Confirmation aggregate information
CAConfInfo	Corporate Action Information
CAConfMsg	Corporate Action Message
CADetl	Corporate Action Detail
CADetlInd	Corporate Action Detail indicator
CADt	Event date (CA Detail)
CADtCd	Event date code (Cash Movement)
CADtDayNbr	Days number (CA Option)
CADtGrp	Corporate Action Date group
CADtString	Days number string (CA Detail)
CAEvtlnd	Corporate Action Event indicator
CAEvtlndString	Corporate Action Event
CAInd	Corporate Action Indicator



XML Attribute	Description
CAMandVoluntInd	Corporate Action Mandatory/Voluntary indicator
CAMandVoluntIndString	Mandatory/Voluntary
CANarr	Narrative (CA Option)
CANotfAggrInfo	Corporate Action Notification aggregate information
CANotfInfo	Corporate Action Notification information
CANotfMsg	Corporate Action Notification message
CAOpt	Corporate Action Option
CAOptCdInd	Corporate Action Option code indicator
CAOptCdIndString	Option
CAOptInd	Corporate Action Option indicator
CAOptNbr	Option number
CAPctPrc	Price (Cash Movement)
CAPer	Corporate Action Period
CAPrcGrp	Corporate Action Price group
CARateGrp	Corporate Action Rate group
CASecMve	Corporate Action Security movement
CashAcct	Cash account
CashBal,section	Cash Balance
CashBal.section	Cash balance
CashInstr	Cash Instrument
CashMveAmnt	Amount
CashMveAmntDetl	Cash Movement Amount detail
CashMvePndAmnt	Pending amount
CashXfer	Cash transfer
CATmstmp	Clearstream Banking Deadline (CA Option)
ClassTypCfi	Financial instrument type
CloseAvailBal	Anticipated net balance
CloseBal	Closing balance
CommissAmnt	Commission amount
ConfBal	Confirmed Fund
ConvTypInd	Conversion Type indicator
ConvTypIndString	Conversion type string
CorpActEvtInd	Corporate action event indicator
CorpActEvtIndString	Corporate action event indicator
CtryCd	Country code
CurrIntDetl	Currency Interest Details
CustdyAddInfo	Custody Additional information
CustdyCd	Custody codes
CustdyDetl	Custody details
CustdyEvt	Custody Event
CustdyNarr	Custody narrative

XML Attribute	Description
CustdyQty	Custody quantity
CustdyRef	Corporate action reference
CustdySecInstr	Custody security instrument
CustdyXferAcct	Custody Transfer account
CustRef	Our reference
CustRepOptSubscr	Custody Report Option subscription
DealAmntPrc	Deal price as amount
DealPctPrc	Deal price as percentage
DenomCurr	Denomination currency
DenomTotHoldVal	Total holding value for currency
DepPlace	Depository Place
DepPlacePlaceNm	Safekeeping Place Name
DfltProcFlg	Default Processing flag
DispoFracInd	Fractions Handling indicator
DispoFracIndString	Fractions Handling (CA Option)
DistTypInd	Distribution Type indicator
DistTypIndString	Distribution type
DivTypInd	Dividend Type indicator
DivTypIndString	Dividend type
DtIntDetl	Date Interest detail
EffSettleAmnt	Settlement cash amount
EffSettleQty	Settled quantity
EntQty	Entitled quantity
EvntTyp	Event Type
ExmptCd	Exemption Code
ExmptCdNm	Exemption code name (total)
FinDt	Financial date
FinInstrAcctDetl	Financial instrument account details
FinInstrCharct	Financial Instrument characteristic
FinInstrQty	Financial instrument quantity (CA Detail)
FinInstrQtyCd	Financial Instrument Quantity code
FinInstrTyp	Financial instrument type
FinRate	Financial instrument rate (CA Option)
FrgnXchgCustdyRef	Foreign exchange custody reference
FrgnXchgDetl	Foreign Exchange detail
FrgnXchgTyp	Foreign Exchange type
FrstRateQty	New to Old Rate (Intermediary Security)
FwdAvailBal	Forward available balance
HeldEncCollBal	Pledged for collateral
HeldEncInsBal	Blocked for instructions
HeldFreeBal	Available

XML Attribute	Description
HoldQty	Holding quantity
HoldVal	Holding Value
IncPay	Income Payment
IncPay.Section	Income Payment section
IndAmntPrc	Indicative Price (CA Option)
IndPctPrc	Price percentage (Cash Movement)
InsDetl	Instruction details
InsDt	Instruction dates
InsInd	Instruction details
IntAmnt	Interest amount
IntermClsgBal	Interim closing balance
IntermDt	Termination date (Intermediary Security)
IntermDtCd	Termination date (Intermediary Security)
IntermDtCdString	Termination date (Intermediary Security)
IntermRate	Intermediary Rate
IntermSec	Intermediary Security
IntermSecInd	Intermediary Security Indicator
IntRate	Interest rate
IntRef	Internal reference
IRSIncCd	IRS Income code
IRSIncCdNm	IRS Income code name (total)
IRSRecipCd	IRS Recipient code
IRSRecipNm	IRS Recipient code name
Lnk	Linkage information
LnkRef	Our reference (ASFR)
LnkTxnInd	Link Tax indicator
LnkTxnIndString	Linkage
LoanClsgDt	Loan closing date
LoanOpngDt	Loan opening date
LoanQty	Loan quantity
LoanRef	Loan reference
MeetPlaceAddr	Meeting place
MoneyStmnt.section	Money statement section
MoneySusp.section	List of pending movements for a currency
MonthIntScaleRepAcct.section	Monthly Interest Scale Report section
MrktAmntPrc	Market Price (Intermediary Security)
MrktPctPrc	Market percentage (CA Detail)
MsgCustAct	Message status
MsgStatus	Message Status
Mve	Movement
Mve.list	Pending movement list

XML Attribute	Description
Narr	Narrative
OfferTypInd	Offer type indicator
OfferTypIndString	Offer type indicator (CA Detail)
OpenBal	Opening balance
OptFeatInd	Optional Features
OptFeatIndString	Optional indicator
OriglMsgAddInfo	Original Message Additional information
OthParty	Other Party
PartyCapalInd	Party Capacity Indicator
PartyCapalIndString	Party Capacity Indicator
PayAmnt	Total payment amount
PayCurr	Payment Currency
PayDetl	Payment Detail
PaySplitDetl	Payment Split Detail
PayStatus	Payment status
Per	Reporting period
PerDtCd	Period code (CA Detail)
PerDtCdEndDtDetl	End Period date detail
PerDtCdEndTmstmpDetl	End Period timestamp detail
PerEnd	End of reporting period
PerEndDt	Period end date (CA Detail)
PerEndTmstmp	Period end timestamp (CA Detail)
PerStart	Start of reporting period
PerStartDt	Period start date (CA Detail)
PerStartDtDtCdDetl	Start Period date detail
PerStartDtEndDtDetl	Start End Period date detail
PerStartTmstmp	Period start timestamp (CA Option)
PerStartTmstmpDtCdDetl	Start Period Timestamp detail
PerStartTmstmpEndTmstmpDetl	Start Period End Timestamp detail
PlaceNarr	Place of safekeeping narrative
PlaceNm	Place of safekeeping name (Intermediary Security)
PndBal	Pending
PrepDt	Preparation date
ProcStatusCd	Processing Status code
ProcStatusCdString	Processing status
Qty	Settled quantity
Rate	Rate
RateCurr	Current rate
RateCurrAmnt	Rate amount (CA Detail)
RateQtyTyp	Rate Quantity type
RateStatus	Rate status (CA Option)

XML Attribute	Description
RateTyp	Rate type
RateTypCurrAmnt	Rate amount type (CA Detail)
Reason	Reason
RegOvridInd	Registration Override Indicator
RegOvridIndString	Registration Override Indicator
RencblEntStatusInd	Renounceable Entitlement Status indicator
RencblEntStatusIndString	Renounceable status (Intermediary Security)
RepoDetl	Repo details
RepoTypInd	Repo Indicator
RepoTypIndString	Repo indicator
RepSubscrNm	Subscription name
ReqSettleAmnt	Requested settlement amount
ReqSettleDt	Expected Settlement Date
ReqSettleDtCd	N/A
ReqSettleDtString	Requested settlement date
ReqSettleQty	Requested settlement quantity
RTGSettleOvridInd	RTGS override indicator
RTGSettleOvridIndString	RTGS override indicator
ScdRateQty	Old to new Rate (Intermediary Security)
SecHold	Fungible securities holding
SecHold.section	Security Holding section
SecIncPay	Security income payment
SecInstr	Security instrument
SecLendCommiss.section	Security Lending commission section
SecLendCommissDetl	Security Lending commission detail
SecNm	Security name
SecTxn.section	Security transaction section
SecXfer	Security transfer
SecXferAmnt	Security transfer amount
SETradeDetl	SE trade details
SETradeInd	SE trade indicators
SettleParty	Settlement party
SettlePartyDetl	Settlement party details
SettlePartyNarr	Settlement party narrative
SettleTxnCond	Settlement transaction condition
SettleTxnCondString	Settlement transaction condition
SettleTxnInd	Settlement transaction indicator
SettleTxnIndString	Settlement transaction indicator
SfcpngAcct	Safekeeping account
SfcpngAcctString	Safekeeping account
SfcpngPlace	Safekeeping Place

XML Attribute	Description
SfcpngPlaceString	Place of safekeeping (CA Option)
Status	Status
StmntBasis	Statement basis
StmntBasisString	Statement basis
StmntNbr	Statement number
StmntTyp	Statement type
StmntTypString	Statement type
SubscrCashInstr	Subscription Cash instruction
SubscrEventTyp	Subscription event
SubSfcpngSecHold.section	Security safekeeping section
SwiftId	BIC
TakOvrTypInd	Take-over Type indicator
TakOvrTypIndString	Take-over type (CA Detail)
TaxActvTyp	Tax Activity Type
TaxBenfOwnNm	Beneficial owner name
TaxBenfTyp	Tax Beneficiary Type
TaxBenfTypNm	Beneficial owner type name
TotAvailCollForFin	Total collateral value
TotBorrVal	Total Borrowed value
TotCollPledgVal	Total collateral pledged
TotCommissAmnt	Total commission amount
TotEntAmnt	Total entitlement amount
TotHoldVal	Total holding value
TotIncPay	Total Income payment
TotIntAmnt	Total interest amount
TotIntNetAmnt	Total net interest amount
TotLentVal	Total lent value
TotPay	Total Payment
TotTaxPayAmnt	Total tax payment amount
TradeDetl	Trade details
TradeDt	Trade date
TradeDtString	Trade date
TradeTmstmp	Trade timestamp
TradeTxnCondInd	Trade transaction condition
TradeTxnCondIndString	Trade transaction condition
TxnInd	Transaction indicator
TxnIndString	Transaction indicator
UncBal	Unconfirmed Fund
UndrlgSec	Underlying security
XchgRate	Exchange rate

This page has intentionally been left blank.





---

**Contact**

[www.clearstream.com](http://www.clearstream.com)

**Published by**

**Clearstream Banking Luxembourg**

**Registered address**

Clearstream Banking S.A.  
42 Avenue JF Kennedy  
L-1855 Luxembourg

**Postal address**

Clearstream Banking  
L-2967 Luxembourg

July 2025

Document number: 6161

---